

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|---------------------|
| L1 | 2 | "20070016909".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L2 | 2 | "20020198874".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L3 | 2 | (embedd\$4 with xpath with query) same (mark \$1up near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L4 | 36 | quer\$4 with (transform or augment or modify \$4) with ((mark\$1up or markup or mark near3 up) near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L5 | 1472 | (transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L6 | 9 | (transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) and (query with variables) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L7 | 1 | "20070016909".pn. and query | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L8 | 0 | (render\$4 near3 content) with (unresolv \$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |

| | | | | | | |
|-----|----|--|--|----|----|---------------------|
| L9 | 0 | (render\$4 near3 content) same (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L10 | 2 | (render\$4 near3 content) and (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L11 | 46 | (render\$4 near3 (engine or component or feature or element)) and (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L12 | 0 | (render\$4 near3 (engine or component or feature or element)) same (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L13 | 5 | render\$4 with (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L14 | 64 | (variable near3 resolution) and (render\$4 near3 content) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L15 | 46 | (variable near3 resolution) and (render\$4 near3 content) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L16 | 0 | embed\$4 with (query or queries) with (WML near3 document) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L17 | 0 | embed\$4 with (query or queries) with ((WML near3 document) or wml) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |

| | | | | | | |
|-----|------|--|--|----|-----|---------------------|
| L18 | 129 | ((query or queries) with ((WML near3 document) or wml) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L19 | 6 | ((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L20 | 7 | (display\$4 or render\$4) near3 xpath near3 quer \$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L21 | 7 | (display\$4 or render\$4) near3 xpath near3 quer \$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L22 | 1000 | xpath near3 quer\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L23 | 408 | (xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L24 | 592 | L22 not L23 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L25 | 1496 | xpath near3 expressions | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L26 | 1529 | (xpath) and ((mobile near3 device) or (hand \$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |

| | | | | | | |
|-----|------|---|--|----|----|---------------------|
| L27 | 1 | ((quer\$\$ or search\$4) near3 resolution) with xpath | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L28 | 3827 | (xpath) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L29 | 34 | (xpath) and (query\$4 near3 resolution) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L30 | 19 | (xpath) and (replac\$4 with query\$4 with results) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L31 | 27 | (xpath) and ((substitut \$4 or overwrit\$4 or replac\$4) with query\$4 with results) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L32 | 949 | (process\$4 or render\$4 or resolv\$4) same (xpath near3 (query or expression)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L33 | 533 | (process\$4 or render\$4 or resolv\$4) with (xpath near3 (query or expression)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L34 | 6 | (xpath) and ((variable or argument) near3 resolution) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L35 | 2 | "6766330".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L36 | 0 | "6766330".pn. and (delimiting near3 token) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |

| | | | | | | |
|-----|----|---|--|----|-----|---------------------|
| L37 | 0 | "6766330".pn. and (delimit\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L38 | 0 | "6766330".pn. and token | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L39 | 0 | "6766330".pn. and html | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L40 | 2 | "6766330".pn. and xml | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L41 | 1 | "6766330".pn. and (mark\$up near3 language) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L42 | 1 | "6766330".pn. and (mark\$up near3 language) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L43 | 45 | darno.xa. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L44 | 0 | "6766330".pn. and hierarch\$10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L45 | 0 | "6766330".pn. and hier \$10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L46 | 1 | "6766330".pn. and tree | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |

| | | | | | | |
|-----|---------|---|--|----|-----|---------------------|
| L47 | 1 | "6766330".pn. and database | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L48 | 0 | "6766330".pn. and (handheld or mobile or portable) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L49 | 4252 | (handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L50 | 0 | ((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and "20000101".AD. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L51 | 75 | ((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and xpath | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L52 | 1 | "20020032706".pn. and WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L53 | 1 | "6766330".pn. and node | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L54 | 6656956 | "6766330".pn. and creat \$4 or add\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L55 | 1 | "6766330".pn. and (reat \$4 or add\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L56 | 1220 | (707/758).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2011/05/19 21:15 |
| L57 | 1038 | (707/803).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2011/05/19 21:15 |
| L58 | 14202 | (707/999.003).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2011/05/19 21:15 |

| | | | | | | |
|-----|------|---|--|----|-----|---------------------|
| L59 | 8743 | (707/999.1).OCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2011/05/19 21:15 |
| L60 | 1472 | (transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L61 | 2 | L56 and L60 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L62 | 6 | ((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L63 | 0 | L56 and L62 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L64 | 408 | (xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L65 | 5 | L56 and L64 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L66 | 2 | L56 and L60 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L67 | 0 | L56 and L62 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L68 | 5 | L56 and L64 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |

| | | | | | | |
|-----|----|-------------------|--|----|----|---------------------|
| L69 | 10 | L57 and L60 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L70 | 0 | L57 and L62 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L71 | 8 | L57 and L64 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L72 | 35 | L58 and L60 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L73 | 0 | L58 and L62 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L74 | 49 | L58 and L64 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L75 | 10 | L57 and L60 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L76 | 0 | L57 and L62 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L77 | 8 | L57 and L64 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L78 | 2 | "20070016909".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |

| | | | | | | |
|-----|------|--|--|----|----|---------------------|
| L79 | 2 | "20020198874".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L80 | 2 | (embedd\$4 with xpath with query) same (mark \$1up near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L81 | 36 | quer\$4 with (transform or augment or modify \$4) with ((mark\$1up or markup or mark near3 up) near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L82 | 1472 | (transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L83 | 9 | (transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) and (query with variables) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L84 | 1 | "20070016909".pn. and query | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L85 | 0 | (render\$4 near3 content) with (unresolv \$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L86 | 0 | (render\$4 near3 content) same (unresolv \$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L87 | 2 | (render\$4 near3 content) and (unresolv \$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L88 | 46 | (render\$4 near3 (engine or component or feature or element)) and (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| L89 | 0 | (render\$4 near3 (engine or component or feature or element)) same (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L90 | 5 | render\$4 with (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L91 | 64 | (variable near3 resolution) and (render\$4 near3 content) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L92 | 46 | (variable near3 resolution) and (render\$4 near3 content) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L93 | 0 | embed\$4 with (query or queries) with (WML near3 document) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L94 | 0 | embed\$4 with (query or queries) with ((WML near3 document) or wml) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L95 | 129 | (query or queries) with ((WML near3 document) or wml) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L96 | 6 | ((query or query) with (embed\$4 or insert\$4 or within) with ((mark\$1up or (markup) or (mark near3 up)) near3 language)) and WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L97 | 7 | (display\$4 or render\$4) near3 xpath near3 quer\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |

| | | | | | | |
|------|------|---|--|----|----|---------------------|
| L98 | 7 | (display\$4 or render\$4) near3 xpath near3 quer \$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L99 | 1000 | xpath near3 quer\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L100 | 408 | (xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L101 | 592 | L99 not L100 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L102 | 1496 | xpath near3 expressions | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L103 | 1529 | (xpath) and ((mobile near3 device) or (hand \$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L104 | 1 | ((quer\$\$ or search\$4) near3 resolution) with xpath | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L105 | 3827 | (xpath) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L106 | 34 | (xpath) and (query\$4 near3 resolution) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |

| | | | | | | |
|------|-----|---|--|----|----|---------------------|
| L107 | 19 | (xpath) and (replac\$4 with query\$4 with results) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L108 | 27 | (xpath) and ((substitut\$4 or overwrit\$4 or replac\$4) with query\$4 with results) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L109 | 949 | (process\$4 or render\$4 or resolv\$4) same (xpath near3 (query or expression)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L110 | 533 | (process\$4 or render\$4 or resolv\$4) with (xpath near3 (query or expression)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L111 | 6 | (xpath) and ((variable or argument) near3 resolution) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L112 | 2 | "6766330".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L113 | 0 | "6766330".pn. and (delimiting near3 token) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L114 | 0 | "6766330".pn. and (delimit\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L115 | 0 | "6766330".pn. and token | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L116 | 0 | "6766330".pn. and html | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |

| | | | | | | |
|------|------|---|--|----|-----|---------------------|
| L117 | 2 | "6766330".pn. and xml | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L118 | 1 | "6766330".pn. and (mark\$up near3 language) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L119 | 1 | "6766330".pn. and (mark\$up near3 language) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L120 | 45 | darno.xa. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L121 | 0 | "6766330".pn. and hierarch\$10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L122 | 0 | "6766330".pn. and hier \$10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L123 | 1 | "6766330".pn. and tree | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L124 | 1 | "6766330".pn. and database | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L125 | 0 | "6766330".pn. and (handheld or mobile or portable) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L126 | 4252 | (handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |

| | | | | | | |
|------|---------|---|--|----|-----|---------------------|
| L127 | 0 | ((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and "20000101".AD. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L128 | 75 | ((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and xpath | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L129 | 1 | "20020032706".pn. and WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L130 | 1 | "6766330".pn. and node | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L131 | 6656956 | "6766330".pn. and creat \$4 or add\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L132 | 1 | "6766330".pn. and (reat \$4 or add\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L133 | 1220 | (707/758).OCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2011/05/19 21:15 |
| L134 | 1038 | (707/803).OCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2011/05/19 21:15 |
| L135 | 14202 | (707/999.003).OCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2011/05/19 21:15 |
| L136 | 8743 | (707/999.1).OCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2011/05/19 21:15 |
| L137 | 1472 | (transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L138 | 2 | L133 and L137 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |

| | | | | | | |
|------|-----|--|--|----|-----|---------------------|
| L139 | 6 | ((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L140 | 0 | L133 and L139 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L141 | 408 | (xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L142 | 5 | L133 and L141 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L143 | 2 | L133 and L137 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/19 21:15 |
| L144 | 0 | L133 and L139 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L145 | 5 | L133 and L141 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L146 | 10 | L134 and L137 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L147 | 0 | L134 and L139 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |

| | | | | | | |
|------|-----|---|--|----|----|---------------------|
| L148 | 8 | L134 and L141 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L149 | 35 | L135 and L137 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L150 | 0 | L135 and L139 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L151 | 49 | L135 and L141 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L152 | 10 | L134 and L137 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L153 | 0 | L134 and L139 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L154 | 8 | L134 and L141 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:15 |
| L155 | 402 | (query\$4 or (search\$4) or inquiry\$4) with (associat\$4 or correlat \$4 or map\$4 or associat \$4) with ((mark\$1up) near3 language) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:23 |
| L156 | 0 | (mark\$1up near3 language) with (variable near3 resolution) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:23 |
| L157 | 0 | (mark\$1up near3 language) same (variable near3 resolution) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:23 |

| | | | | | | |
|------|-----|--|--|----|-----|---------------------|
| L158 | 190 | (mark\$1up near3 language) and (variable near3 resolution) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:24 |
| L159 | 2 | L155 and L158 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:24 |
| L160 | 1 | (substit\$4 or plug\$4 or replac\$4 or insert\$4) with (variable or placeholder or (place near3 holder)) with (query) with ((generat \$4 or compil\$4 or creat \$4) near3 ((two or additional or more) near3 quer\$4)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:28 |
| L161 | 11 | ("7472112").URPN. | USPAT | OR | OFF | 2011/05/19 21:29 |
| L162 | 6 | (substit\$4 or plug\$4 or replac\$4 or insert\$4) same (variable or placeholder or (place near3 holder)) same (query) same ((generat \$4 or compil\$4 or creat \$4) near3 ((two or additional or more) near3 quer\$4)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:31 |
| L163 | 0 | L162 and L159 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:31 |
| L164 | 0 | L162 and L158 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:31 |
| L165 | 0 | L162 and L155 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:31 |

| | | | | | | |
|------|-----|---|--|----|----|------------------|
| L166 | 0 | (dynamic\$5 near3 (render\$4 or process\$4 or manipul\$4 or display\$4 or reproduc\$4 or output\$4)) with (quer\$4) with ((render\$4 or process\$4 or manipul\$4 or display\$4 or reproduc\$4 or output\$4) near3 (mark\$4up near3 language)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:41 |
| L167 | 3 | (dynamic\$5 near3 (render\$4 or process\$4 or manipul\$4 or display\$4 or reproduc\$4 or output\$4)) same (quer\$4) same ((render\$4 or process\$4 or manipul\$4 or display\$4 or reproduc\$4 or output\$4) near3 (mark\$4up near3 language)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:41 |
| L168 | 146 | ((((render\$4 or process\$4 or manipul\$4 or display\$4 or reproduc\$4 or output\$4)) near3 (quer\$4)) same ((render\$4 or process\$4 or manipul\$4 or display\$4 or reproduc\$4 or output\$4) near3 (mark\$4up near3 language)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:42 |
| L169 | 5 | L168 and L155 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:42 |
| L170 | 1 | L168 and L155 and L158 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:43 |
| L171 | 2 | "20020198874".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:47 |
| L172 | 2 | "20020016909".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:49 |

| | | | | | | |
|------|-----|--|--|----|----|---------------------|
| L173 | 2 | "20030197719".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:49 |
| L174 | 2 | "7089249".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:50 |
| L175 | 2 | "20020133412".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/19 21:51 |
| S1 | 2 | "20070016909".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 21:41 |
| S2 | 2 | "20020198874".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 21:52 |
| S4 | 1 | (embedd\$4 with xpath with query) same (mark \$1up near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/07 17:10 |
| S5 | 20 | quer\$4 with (transform or augment or modify \$4) with ((mark\$1up or markup or mark near3 up) near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/07 17:11 |
| S6 | 920 | (transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/07 17:17 |
| S7 | 3 | (transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) and (query with variables) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/07 17:17 |
| S8 | 1 | "20070016909".pn. and query | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/07 18:11 |

| | | | | | | |
|-----|----|--|--|----|----|---------------------|
| S9 | 0 | (render\$4 near3 content) with (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:27 |
| S10 | 0 | (render\$4 near3 content) same (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:30 |
| S11 | 2 | (render\$4 near3 content) and (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:30 |
| S12 | 44 | (render\$4 near3 (engine or component or feature or element)) and (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:30 |
| S13 | 0 | (render\$4 near3 (engine or component or feature or element)) same (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:30 |
| S14 | 1 | render\$4 with (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:32 |
| S15 | 52 | (variable near3 resolution) and (render\$4 near3 content) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:33 |
| S16 | 38 | (variable near3 resolution) and (render\$4 near3 content) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:36 |
| S17 | 0 | embed\$4 with (query or queries) with (WML near3 document) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:37 |

| | | | | | | |
|-----|------|--|--|----|-----|---------------------|
| S18 | 0 | embed\$4 with (query or queries) with ((WML near3 document) or wml) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:38 |
| S19 | 112 | (query or queries) with ((WML near3 document) or wml) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:38 |
| S20 | 5 | ((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/24 13:40 |
| S21 | 5 | (display\$4 or render\$4) near3 xpath near3 quer \$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/24 13:50 |
| S22 | 5 | (display\$4 or render\$4) near3 xpath near3 quer \$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:50 |
| S23 | 833 | xpath near3 quer\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:51 |
| S24 | 347 | (xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 13:51 |
| S25 | 486 | S23 not S24 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 14:53 |
| S26 | 1226 | xpath near3 expressions | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:16 |

| | | | | | | |
|-----|------|--|--|----|----|---------------------|
| S27 | 1266 | ((xpath) and ((mobile near3 device) or (hand \$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:16 |
| S28 | 1 | ((quer\$\$ or search\$4) near3 resolution) with xpath | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:19 |
| S29 | 3138 | (xpath) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:20 |
| S30 | 28 | (xpath) and (query\$4 near3 resolution) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:20 |
| S31 | 17 | (xpath) and (replac\$4 with query\$4 with results) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:23 |
| S32 | 24 | (xpath) and ((substitut \$4 or overwrit\$4 or replac\$4) with query\$4 with results) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:25 |
| S33 | 788 | (process\$4 or render\$4 or resolv\$4) same (xpath near3 (query or expression)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:27 |
| S34 | 439 | (process\$4 or render\$4 or resolv\$4) with (xpath near3 (query or expression)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:27 |
| S35 | 5 | (xpath) and ((variable or argument) near3 resolution) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:29 |
| S36 | 2 | "6766330".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:32 |

| | | | | | | |
|-----|----|---|--|----|-----|---------------------|
| S37 | 0 | "6766330".pn. and (delimiting near3 token) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:32 |
| S38 | 0 | "6766330".pn. and (delimit\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:32 |
| S39 | 0 | "6766330".pn. and token | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:32 |
| S40 | 0 | "6766330".pn. and html | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:38 |
| S41 | 2 | "6766330".pn. and xml | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/24 15:38 |
| S44 | 1 | "6766330".pn. and (mark\$up near3 language) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/26 02:10 |
| S45 | 1 | "6766330".pn. and (mark\$up near3 language) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 02:10 |
| S46 | 33 | darno.xa. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 02:23 |
| S47 | 0 | "6766330".pn. and hierarch\$10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 04:24 |
| S48 | 0 | "6766330".pn. and hier \$10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 04:24 |

| | | | | | | |
|-----|---------|---|--|----|-----|---------------------|
| S49 | 1 | "6766330".pn. and tree | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 04:24 |
| S50 | 1 | "6766330".pn. and database | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 04:52 |
| S51 | 0 | "6766330".pn. and (handheld or mobile or portable) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 04:55 |
| S52 | 3737 | (handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 04:55 |
| S53 | 0 | ((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and "20000101".AD. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 05:00 |
| S54 | 69 | ((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and xpath | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 05:01 |
| S55 | 1 | "20020032706".pn. and WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 05:17 |
| S56 | 1 | "6766330".pn. and node | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 05:47 |
| S57 | 6153078 | "6766330".pn. and creat \$4 or add\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 06:06 |
| S58 | 1 | "6766330".pn. and (reat \$4 or add\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 06:07 |
| S59 | 439 | (707/758).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/03/26 07:10 |

| | | | | | | |
|-----|-------|---|--|----|-----|---------------------|
| S60 | 205 | (707/803).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/03/26 07:10 |
| S61 | 10444 | (707/999.003).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/03/26 07:10 |
| S62 | 5780 | (707/999.1).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/03/26 07:10 |
| S63 | 1258 | (transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 07:12 |
| S64 | 0 | S59 and S63 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/26 07:12 |
| S65 | 5 | ((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/26 07:12 |
| S66 | 0 | S59 and S65 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/26 07:12 |
| S67 | 347 | (xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 07:12 |
| S68 | 0 | S59 and S67 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/26 07:12 |
| S69 | 0 | S59 and S63 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/26 07:12 |
| S70 | 0 | S59 and S65 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 07:13 |

| | | | | | | |
|-----|----|-------------|--|----|----|---------------------|
| S71 | 0 | S59 and S67 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 07:13 |
| S72 | 0 | S60 and S63 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 07:13 |
| S73 | 0 | S60 and S65 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 07:13 |
| S74 | 2 | S60 and S67 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 07:13 |
| S75 | 29 | S61 and S63 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 07:14 |
| S76 | 0 | S61 and S65 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 07:14 |
| S77 | 40 | S61 and S67 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 07:14 |
| S78 | 0 | S60 and S63 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 07:14 |
| S79 | 0 | S60 and S65 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 07:14 |
| S80 | 2 | S60 and S67 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/26 07:14 |

| | | | | | | |
|-----|------|--|--|----|----|---------------------|
| S81 | 2 | "20070016909".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S82 | 2 | "20020198874".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S83 | 2 | (embedd\$4 with xpath with query) same (mark \$1up near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S84 | 36 | quer\$4 with (transform or augment or modify \$4) with ((mark\$1up or markup or mark near3 up) near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S85 | 1471 | (transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S86 | 9 | (transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) and (query with variables) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S87 | 1 | "20070016909".pn. and query | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S88 | 0 | (render\$4 near3 content) with (unresolv \$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S89 | 0 | (render\$4 near3 content) same (unresolv \$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S90 | 2 | (render\$4 near3 content) and (unresolv \$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| S91 | 46 | (render\$4 near3 (engine or component or feature or element)) and (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S92 | 0 | (render\$4 near3 (engine or component or feature or element)) same (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S93 | 5 | render\$4 with (unresolv\$4 near3 (expression or variable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S94 | 64 | (variable near3 resolution) and (render\$4 near3 content) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S95 | 46 | (variable near3 resolution) and (render\$4 near3 content) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S96 | 0 | embed\$4 with (query or queries) with (WML near3 document) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S97 | 0 | embed\$4 with (query or queries) with ((WML near3 document) or wml) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S98 | 129 | (query or queries) with ((WML near3 document) or wml) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S99 | 6 | ((query or query) with (embed\$4 or insert\$4 or within) with ((mark\$1up or (markup) or (mark near3 up)) near3 language)) and WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/17 20:53 |

| | | | | | | |
|------|------|---|--|----|-----|---------------------|
| S100 | 7 | (display\$4 or render\$4) near3 xpath near3 quer \$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/17 20:53 |
| S101 | 7 | (display\$4 or render\$4) near3 xpath near3 quer \$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S102 | 999 | xpath near3 quer\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S103 | 408 | (xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S104 | 591 | S102 not S103 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S105 | 1494 | xpath near3 expressions | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S106 | 1528 | (xpath) and ((mobile near3 device) or (hand \$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S107 | 1 | ((quer\$\$ or search\$4) near3 resolution) with xpath | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S108 | 3822 | (xpath) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |

| | | | | | | |
|------|-----|---|--|----|----|---------------------|
| S109 | 34 | (xpath) and (query\$4 near3 resolution) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S110 | 19 | (xpath) and (replac\$4 with query\$4 with results) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S111 | 27 | (xpath) and ((substitut \$4 or overwrit\$4 or replac\$4) with query\$4 with results) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S112 | 948 | (process\$4 or render\$4 or resolv\$4) same (xpath near3 (query or expression)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S113 | 533 | (process\$4 or render\$4 or resolv\$4) with (xpath near3 (query or expression)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S114 | 6 | (xpath) and ((variable or argument) near3 resolution) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S115 | 2 | "6766330".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S116 | 0 | "6766330".pn. and (delimiting near3 token) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S117 | 0 | "6766330".pn. and (delimit\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S118 | 0 | "6766330".pn. and token | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |

| | | | | | | |
|------|----|--|--|----|-----|---------------------|
| S119 | 0 | "6766330".pn. and html | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S120 | 2 | "6766330".pn. and xml | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S121 | 1 | "6766330".pn. and (mark\$up near3 language) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/17 20:53 |
| S122 | 1 | "6766330".pn. and (mark\$up near3 language) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S123 | 45 | darno.xa. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S124 | 0 | "6766330".pn. and hierarch\$10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S125 | 0 | "6766330".pn. and hier \$10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S126 | 1 | "6766330".pn. and tree | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S127 | 1 | "6766330".pn. and database | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S128 | 0 | "6766330".pn. and (handheld or mobile or portable) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |

| | | | | | | |
|------|---------|---|--|----|-----|------------------|
| S129 | 4249 | (handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S130 | 0 | ((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and "20000101".AD. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S131 | 75 | ((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and xpath | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S132 | 1 | "20020032706".pn. and WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S133 | 1 | "6766330".pn. and node | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S134 | 6653384 | "6766330".pn. and creat \$4 or add\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S135 | 1 | "6766330".pn. and (reat \$4 or add\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S136 | 1218 | (707/758).OCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2011/05/17 20:53 |
| S137 | 1032 | (707/803).OCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2011/05/17 20:53 |
| S138 | 14202 | (707/999.003).OCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2011/05/17 20:53 |
| S139 | 8743 | (707/999.1).OCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2011/05/17 20:53 |
| S140 | 1471 | (transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |

| | | | | | | |
|------|-----|---|--|----|-----|---------------------|
| S141 | 2 | S136 and S140 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/17 20:53 |
| S142 | 6 | ((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/17 20:53 |
| S143 | 0 | S136 and S142 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/17 20:53 |
| S144 | 408 | (xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S145 | 5 | S136 and S144 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/17 20:53 |
| S146 | 2 | S136 and S140 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/05/17 20:53 |
| S147 | 0 | S136 and S142 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S148 | 5 | S136 and S144 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S149 | 9 | S137 and S140 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |

| | | | | | | |
|------|----|---------------|--|----|----|---------------------|
| S150 | 0 | S137 and S142 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S151 | 8 | S137 and S144 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S152 | 35 | S138 and S140 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S153 | 0 | S138 and S142 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S154 | 49 | S138 and S144 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S155 | 9 | S137 and S140 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S156 | 0 | S137 and S142 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |
| S157 | 8 | S137 and S144 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/05/17 20:53 |

EAST Search History (Interference)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|-----------------|-----------------------------|------------------|---------|------------------|
| L176 | 413 | (707/759).CCLS. | US-PGPUB; USPAT; UPAD | OR | OFF | 2011/05/19 22:38 |
| L177 | 1038 | (707/803).CCLS. | US-PGPUB; USPAT; UPAD | OR | OFF | 2011/05/19 22:38 |

| | | | | | | |
|------|-------|---|-----------------------------|----|-----|------------------|
| L178 | 7786 | (707/999.001).CCLS. | US-PGPUB; USPAT; UPAD | OR | OFF | 2011/05/19 22:38 |
| L179 | 14182 | (707/999.003).CCLS. | US-PGPUB; USPAT; UPAD | OR | OFF | 2011/05/19 22:38 |
| L180 | 9009 | (707/999.102).CCLS. | US-PGPUB; USPAT; UPAD | OR | OFF | 2011/05/19 22:38 |
| L181 | 541 | (715/239).CCLS. | US-PGPUB; USPAT; UPAD | OR | OFF | 2011/05/19 22:38 |
| L183 | 29498 | L176 or L177 or L178 or L179 or L180 | US-PGPUB; USPAT; UPAD | OR | ON | 2011/05/19 22:39 |
| L184 | 0 | (access\$4 with (data near3 set) with (generat \$4 near3 resolution) with query with (resolv\$4 near5 variables)).clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2011/05/19 22:40 |
| L185 | 0 | L184 and L183 | US-PGPUB; USPAT; UPAD | OR | ON | 2011/05/19 22:41 |
| L186 | 1 | (substitut\$4 with (variable near3 value\$4) with (query\$4 with generat\$)).clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2011/05/19 22:41 |
| L187 | 1 | L186 and L183 | US-PGPUB; USPAT; UPAD | OR | ON | 2011/05/19 22:44 |
| L188 | 0 | (dynamic\$5 with render \$4 with (resolution near9 quer\$4) with (mark\$1up near3 language) with (rule near5 associat9 with (tag))).clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2011/05/19 22:46 |
| L189 | 0 | L188 and L183 | US-PGPUB; USPAT; UPAD | OR | ON | 2011/05/19 22:46 |

5/19/2011 10:47:23 PM

C:\Documents and Settings\pdarno\My Documents\EAST\Workspaces\ App No - 09788311
 \search06-07-2008.wsp